ECS Configuration Change Request

1. Originator Michelle D. Johnson	2. Log Date: 7/31/00	3. CCR #: 00-0787	4. Rev: –	5. Tel: 301-883-4033	6. Rm #: 3008E	7. Dept. DD&M

8. CCR Title: Create data and log space for EcCsRegistry database at the SMC 'm0mss16_srvr'

9. Originator Signature/Date 7-27-2000	10. Class II	11. Type: CCR	12. Need Date: 08/04/2000
13. Office Manager Signature/Date William Knauss 7/31/00	14. Category of Change: Update ECS Baseline Doc.		15. Priority: (If "Emergency" fill in Block 28). Routine

16. Documentation/Drawings Impacted: 920-TDS-009	17. Schedule Impact:	18. CI(s) Affected:CSS

19. Release Affected by this Change: 5B	20. Date due to Customer: N/A	21. Estimated Cost: None - Under 100K

22. Source Reference: ☒NCR (attach) ☐Action Item ☐Tech Ref. ☐GSFC ☒Other:
CCRs 00-0522, 00-0698, NCR 27266

23. Problem: (use additional Sheets if necessary)
Allocate space (data and log) on the 'm0mss16_srvr' for the installation of EcCsRegistry_<MODE> that has been delivered to Drop 5B.03.

24. Proposed Solution: (use additional sheets if necessary)
Request Dave Kelley at the SMC to allocate data and log space on the 'm0mss16_srvr' listed on the 920 with this CCR. Also this information has already been posted to the documentation website. ref: CCR 00-0522 for 5B

25. Alternate Solution: (use additional sheets if necessary)
There are no alternate solutions to this request given that EcCsRegistry database has been delivered in Drop 5B.03 patch to the SMC. Note: CCRs have already been implemented in reference to the VATC, PVC and DAACs.

26. Consequences if Change(s) are not approved: (use additional sheets if necessary)
SMC contact may not be aware of the data and log sizes needed to implement the installation of the EcCsRegistry database.

27. Justification for Emergency (If Block 15 is "Emergency"):
N/A

28. Site(s) Affected: ☐EDF ☐PVC ☐VATC ☐EDC ☐GSFC ☐LaRC ☐NSIDC ☒SMC ☐AK ☐JPL
☐EOC ☐IDG Test Cell ☐Other

29. Board Comments:	30. Work Assigned To:	31. CCR Closed Date:

32. EDF/SCDV CCB Chair (Sign/Date):	**Disposition:** Approved App/Com. Disapproved Withdraw Fwd/ESDIS ERB Fwd/ECS
33. M&O CCB Chair (Sign/Date):	**Disposition:** Approved App/Com. Disapproved Withdraw Fwd/ESDIS ERB Fwd/ECS
34. ECS CCB Chair (Sign/Date):	**Disposition:** Approved App/Com. Disapproved Withdraw Fwd/ESDIS ERB Fwd/ESDIS

ADDITIONAL SHEET

CCR #: *00-0787* **Rev:** – **Originator:** Michelle D. Johnson

Telephone: 301-883-4033 **Office:** DD&M

Title of Change: Create data and log space for EcCsRegistry database at the SMC 'm0mss16_srvr'

Remember to use tempdb as the default to the dbo login.

Database Name	Data Size	Log Size
EcCsRegistry	300 MB	150 MB
EcCsRegistry_TS1	300 MB	150 MB
EcCsRegistry_TS2	300 MB	150 MB

CM01AJA00